




"go beyond yourself"
"go beyond yourself"



Ürün Kataloğu / Product Catalogue





Sport turf (Synthetic grass for sports) enables millions of sport lovers to indulge their sport passion all year around in the best possible conditions. With the improvent of turf qualities, there are no more unplayable matches or no abandoned games .

Main Benefits of Pakturf products are as follows:

- * Easy and low Maintenance cost
- * Unaffected by weather and resistant
- * Duration and longevity
- * More usage functions like training, cultural events, concerts and ofcourse soccer and football games
- * Improved playing conditions and is always constant all through the year

Sportif Sentetik çim, gelişen teknoloji ve ürün çeşitliliğiyle spor tutkunlarının yıl içinde koşullar ne olursa olsun en iyi şartlarda spor yapabilme imkanını en üst düzeye çıkartmıştır. Pakteks bu nispetle müşterilerine en iyiyi ve en uygunu sunmayı kendisine bir vazife edinmiştir. Kullanacağınız Pakturf sentetik çim ürünleri, size maliyet avantajının yanında, ucuz ve kolay bakım, uzun yıllar kullanabilme dayanıklılık ve farklı kullanım etkinlikleri gibi daha sayabilecek bir çok avantaj sağlamaktadır.

www.pakteks.com

Pakteks is a leading manufacturer and exporter of Artificial Turf/Grass in Istanbul - Turkey and is a pioneer in the sports surfacing and landscaping industry. PAKTURF has been approved with its quality and service by supplying its products more than 40 countries.

Since its inception, Pakturf Products are made from high quality European synthetic grass fibres and is extensively tested for UV

Resistance and protection against discolouration and deformation under extreme circumstances Pakturf football and Soccer products are in conformity with FIFA and UEFA standards and certificates .

Our company gives importance to the development of safe and durable sport pitches that satisfy and provide the correct Artificial surfaces for various sports ranging from Soccer to Teniss, golf and landscaping rugby , paintball and baseball.

Pakteks Dış Ticaret Limited şirketi 2003 yılından beri zemin döşemeleri ve sentetik çim konusunda üretim ve ticari faaliyet göstermekte olup, özellikle 40' dan fazla ülkeye yaptığı halı saha ve kontrat halı ihracatları ile Türk sanayicisinin hedeflediği Global bir marka olma yolunda öncülük eden firmalardandır. Firma, Kalite ve müşteri memnuniyetine özellikle odaklanmış olup, FIFA ve UEFA kriterlerini başarıyla projelerinde uygulamışlardır.

Dekorasyon ve Peyzaj alanlarında da yurtiçi ve yurtdışı bir çok projeye malzeme temin eden Pakteks firması, ürün çeşitliliğini , yeni teknolojik gelişmeler paralelinde sürekli olarak genişletmektedir.

Ürün gamı bir çok profesyonel ve amatör spor tiplerine uygundur. Başlıca uygulama alanları Futbol, Tenis, Golf, Amerikan Futbol, Peyzaj ve dekoratif çim, bahçe ve balkon çimdir.



www.pakteks.com

FOOTBALL-SOCCER GRASS QUALITIES

(SAND & RUBBER INFILL)

Futbol Çim Kaliteleri

(Kum ve granül dolgulu)

Pakteks offers various Artificial Grass qualities suitable for football and Soccer with newest technology from 20 mm till to 70 mm in various pile heights...

With the introduction of the third generation of artificial grass pitches, the process of accepting artificial grass got fully under way within the football world. Under the approving eye of FIFA, football's international governing body, specific quality standards have been laid down for artificial grass pitches in the International Artificial Turf Standard (FIFA Quality Concept).

As a result, these artificial grass pitches can now also be used in competitions.

Pakteks tarafından tedarik edilen sentetik çim sahalar Profesyonel Futbolun ruhuna uygun, sahada futbolcuların ihtiyaçlarına ve bir futbol sahasından beklentilerine karşılık verecek şekilde üretilir. Pakteks Profesyonel Futbol sahalarına yönelik birden fazla sentetik çim sistemi ve bileşeni geliştirmiştir. Futbolcuların sağlıklı, uzun ömürlü, bakım ihtiyaçları minimize edilmiş sahalarda Futbolun Ruhunu yaşamalarını sağlamaları ana amacımızdır.

FOOTBALL-SOCCER GRASS QUALITIES

(SAND & RUBBER INFILL)

Futbol Çim Kaliteleri

(Kum ve granül dolgulu)





Monopak Grass Series (ULTRA ÇİM) :

Technical Characteristics:

%100 Polyethylene single colour 8250 dtex

MONOFILAMENT

Std Pile Heights: 40,50,55,60 mm



Expert Grass series (EXPERT ÇİM):

Technical Characteristics:

%100 Polyethylene bi colour 11.000 or 12.000dtex

MONOFILAMENT

Std Pile Heights: 40, 50, 55, 60 mm



Luxury Grass series :

Technical Characteristics:

%100 Polyethylene bi colour 11.600 dtex- 12.000 dtex

MONOFILAMENT

Std Pile Heights: 40,50, 55, 60 mm





Super Grass series (Süper çim serisi): MS-PRO

Technical Characteristics:
%100 Polyethylene bi colour 12000 dtex
(Monofilament)
Std Pile Heights: 50, 55, 60 mm



Duofilament Grass series :

Technical Characteristics:
%100 Polyethylene bi colour 8250 DTEX or 12000 dtex
(Monofilament)
Std Pile Heights: 50, 55, 60 mm



Powerturf Grass series :

Technical Characteristics:
%100 Polyethylene 13.800 Dtex
(Monofilament)
Std Pile Heights: 40, 50, 55, 60 mm



www.pakteks.com



Duopak Grass series: (DUOTURF)

Technical Characteristics:

%100 Polyethylene 11.000 Dtex (Extreme Fibrilliated)

Std Pile Heights: 40, 50, 55, 60 mm



Fibrilliated Grass series: (NATURAL GRASS)

Technical Characteristics:

%100 Polyethylene 11.000 Dtex ,8800 Dtex , 6600 DTEX
(Fibrilliated)

Std Pile Heights: 33, 40, 50, 55, 60 mm

MULTI-PURPOSE AND TENNIS GRASS QUALITIES (SAND INFILL, NON INFILL) (Kum dolgulu, dolgusuz)

Pakteks, çeşitli hav yüksekliklerinde ve gramajlarında çok amaçlı çim ve Tenis çim kalitelerini müşterilerinin beğenilerine sunmaktadır.

Pakteks offers various Artificial Grass qualities suitable for tennis courts

Tennis courts



Pakteks offers various Artificial Grass qualities suitable for paintball areas

Paintball areas



Pakteks offers various Artificial Grass qualities suitable for golf fields

Golf fields





Tennis, and Multicourt Grass Series *(Tenis ve çok amaçlı sahalar)*

Technical Characteristics:

%100 Polypropylene or 100% Polyethylene 8800 Dtex and 6600 dtex

Std Pile Heights: (12 mm till to 28 mm)



Padel Grass Series:

Technical Characteristics:

%100 Polypropylene

Std Pile Heights: 11 mm -13 mm



Athletic Grass Series:

Technical Characteristics:

6 mm, Polyurethan backing, Non Infill, PE yarn

ITF CLASSIFIED COURT PACE 5 FAST

LANDSCAPING AND DECORATION GRASS QUALITIES PEYZAJ VE DEKORASYON ÇİM KALİTELERİ

Pakteks offers various decoration and noninfill landscaping grass qualities and they are frequently used in landscaping and architectural design projects.

Pakteks'in dekorasyon ve peyzaj çim ürünleri; çevre düzenleme çalışmaları ve mimari tasarımlarda sıklıkla tercih edilmektedir.






LANDSCAPING AND DECORATION GRASS QUALITIES PEYZAJ VE DEKORASYON ÇİM KALİTELERİ



LANDSCAPING AND DECORATION GRASS QUALITIES *PEYZAJ VE DEKORASYON ÇİM KALİTELERİ*



LANDSCAPING AND DECORATION GRASS QUALITIES *PEYZAJ VE DEKORASYON ÇİM KALİTELERİ*

5 MM STRAIGHT**8 MM STRAIGHT****5 MM CURLY****8 MM CURLY****25 MM WINTER (KIŞ)****29 MM SPRING (BAHAR)****33 MM ECO NATURAL (YAZ)****38 MM GARDEN**

INSTALLATIONS



Drenaj Kanallarının kazılması



Drenaj Kanallarına jeotekstik bohçalama yapılması ve drenaj borularının döşenmesi



Drenaj borularının ana drenaj hattına bağlanması



Drenaj kanallarının filtre malzemesi ile doldurulması



0,1,2 No Kirmataj ile sahanın master planı olarak üst drenaj katmanının oluşu



Saha yüzeyinin sıkıştırılması



Saha yüzeyine keçe serilmesi



Saha yüzeyine sentetik çim serilmesi



Ek yerlerinin kesiminin yapılması







Ek yerlerinin yapıştırılması



Saha içi çizgilerin yapılması



Kum ve granül dolgunun yapılması



www.pakteks.com

UYGULAMA

MAINTENANCE

Maintenance can prolong the life of your carpet by up to 8 years

GENERAL PRINCIPLES

*As a form of regular maintenance, the surface of the grass should be made free from
and kind of litter (leaves, twigs, cans, paper,
fibres due to normal wear,)*

*The surface will also suffer from the presence of moss and weeds.
Preventive maintenance
will be more efficient in this case than any form of curative treatment.*

*Some specific actions will have to be taken, such as repairing, adding
sand and/or rubber,
maintaining the draining system,*

*Finally, we suggest to use an alternate system where different fields are
available, so as
not to put too much of the burden on the same field.*

DETAILED MAINTENANCE PROGRAMME

The maintenance programme devised by Pakteks:

- the life span of the sand-filled system.*
- the safety of the user.*
- the performing properties of the sand-filled system.*
- the aesthetic properties of the field.*
- the general degree of satisfaction expressed by the players, the trainers
and all people
concerned.*

Hence, the following operations need to be done at the required frequency:

BRUSHING

Frequency: very regular, at least once a week.

Purpose:

- to spread the in-fill evenly.*
- to straighten the pile, which tends to lie down.*
- to keep the in-fill in good condition.*

How: Is done by a brushing system which is usually pulled by a mini-tractor.

Collecting the litter (cans, glass,..), leaves and twigs

Frequency: very regularly

Purpose:

- to make the lines more visible*
- to guarantee the players's safety*
- to avoid the growth of moss and weeds*

How: manually, with blowers

Make sure there are enough dustbins around the field and place them in full view.

Chemical treatment

Frequency: once or twice a year; preferably in the spring and a autumn.

Choose a preventive rather than a curative treatment.

Purpose:

- makes it easier for the water to percolate.*
- guarantees better performing properties.*

*How: When constructing the field, take the shade into account: the more shade on the
field, the more moss the field is likely to gather.*



CERTIFICATES




"go beyond yourself"



LABOSPORT



ACRYLIC TENNIS COURTS (AKRİLİK TENİS SAHALARI)



ACRYLIC TENNIS COURTS (AKRİLİK TENİS SAHALARI) PRO - FLEX.M®

Akrilik Resurfacer (Dolgu Katı): %100 akrilik lateks bazlı dolgu malzemesidir. Uygulama yapılacak zemindeki gözeneklerin, hafif çatlakların dolgu katı olarak uygulanır. Belirli oranda su ve kum ile karıştırılarak zemine uygulanabilir hale getirilir.

Cushion (esnek Katman): Özel toz kauçuk dolgulu %100 akrilik lateks bazlı esnek katman malzemesidir. İçerisindeki özel kauçuklar sayesinde zemine esneklik vermektedir. Resurfacer katından sonra saf hali ile direk uygulanır. Tenis kortları için uygundur.

Akrilik Renk Katı: Silis kumlu %100 akrilik lateks bazlı son kat boya malzemesidir. Tüm hava şartlarına ve güneş ışınlarına (UV) dayanıklıdır. Belirli oranda su ile karıştırılarak uygulaması yapılır. Çevreye ve doğaya saygılı olup tehlikeli olarak sınıflandırılmamıştır.

STANDART SİSTEM (uygulama alanı: tenis kortları ve çok amaçlı spor sahaları (basketbol, voleybol...))

Resurfacer (dolgu katı)	1 Kat
Son Kat Boya (color coat)	2 Kat
Oyun Çizgileri	1 Kat

Profesyonel (Turnuva) (Uygulama alanı: Uluslararası profesyonel turnuvalar)

Resurfacer (dolgu katı)	1 Kat
Cushion PLUS	2 Kat
Cushion	2 Kat
Son Kat Boya (Color Coat)	2 Kat
Oyun Çizgileri	1 Kat

KULÜP VE REZİDANS SİSTEM (uygulama alanı: tenis kulüpleri, prestijli konut sahaları)

Resurfacer (dolgu katı)	1 Kat
Cushion (esnek katman)	2 Kat
Son Kat boya (color coat)	2 Kat
Oyun Çizgileri	1 Kat

ACRYLIC TENNIS COURTS (AKRİLİK TENİS SAHALARI) PRO - FLEX.M®

Acrylic Resurfacer (Filling Coat): 100% acrylic latex based emulsion. Employed as a filling coat against pores and tiny chips in the surface to be treated. The emulsion can be mixed with water and sand in a particular rate and then applied to the surface.

Cushion (Flexible Coat): 100% acrylic latex based flexible coating material. Thanks to its special rubber content, it gives extra flexibility to the surface. Directly applied in its pure form after the resurfacer. Appropriate for tennis courts.

Acrylic Colour Coat: 100% acrylic latex based final colour coat with silica sand content. Resistant against all weather conditions and sunrays (UV). Applied after mixing with water in a particular rate. The coat is environment and nature-friendly and is not classified as a hazardous material.

STANDARD SYSTEM (field of application: tennis courts and multi-purpose sports fields such as basketball, volleyball pitches...)

Resurfacer (filling coat)	1 layer
Final Colour Coat	2 layers
Field markings	1 layer

Professional tournaments (field of application: international professional tournaments)




Resurfacer (filling coat)	1 layer
Cushion PLUS	2 layers
Cushion	2 layers
Final Colour Coat	2 layers
Field markings	1 layer

CLUB AND RESIDENCE SYSTEM (field of application: tennis clubs, prestigious housing fields)

Resurfacer (filling coat)	1 layer
Cushion (flexible coat)	2 layers
Final Colour Coat	2 layers
Field markings	1 layer

www.pakteks.com

ACRYLIC TENNIS COURTS (AKRİLİK TENİS SAHALARI)




We are proud to inform you that you may find a sport or
landscape Project made by PAKTEKS...
SOME REFERENCES - REFERANSLARIMIZ

TURKEY	
UKRAINE	
FRANCE	
ITALY	
GREECE	
ROMANIA	
BULGARIA	
CROATIA	
LIBYA	
MOROCCO	
LEBANON	
INDIA	
U.A.E.	
GEORGIA	

MONTENEGRO	
BOSNIA	
KUWAIT	
MACEDONIA	
RUSSIA	
SYRIA	
POLAND	
IRAQ	
SERBIA	
ALBANIA	
HUNGARY	
IRAN	
NETHERLANDS	
AZERBAIJAN	

"go beyond yourself"

"go beyond yourself"



"go beyond yourself" "go beyond yourself"

"go beyond yourself"

"go beyond yourself"

PAKTEKS PAKTEKS
PAKTEKS DIŞ TİCARET LTD. ŞTİ.

Adres: Cumhuriyet Caddesi Rüzgarlıbahçe Hasoğlu Plaza no: 39
Ofis no: 66 Kavacık - Beykoz / İstanbul - TURKEY
Tel : +90 216 537 14 00 Fax: +90 216 537 14 03
e- mail: info@pakteks.com

www.pakteks.com